

The UNP system is continuously being updated to integrate user requests. There are a number of features that are expected to be implemented in the future, allowing, for example, faster menu navigation, and increased speed of spelling, both of which are features that users of BCI's have reported to be desirable [7].

Users' Forum at the 2013 International Brain-Computer Interface meeting. Archives of physical medicine and rehabilitation, 96(3), S33-S37.

ACKNOWLEDGEMENTS

This work has been funded by the ERC-Advanced 'iConnect' project (grant ERC-Adv 320708) and the Dutch Technology Foundation STW (grant UGT7685). We thank the UNP participants for their testing and feedback on the software and we acknowledge the work by Stavrina Devetzoglou-Toliou and Nikos Vardalakis in programming several of the features of the UNP system.

REFERENCES

- [1] Vansteensel, M. J., Pels, E. G. M., Bleichner, M. G., Branco, M. P., Denison, T., Freudenburg, Z. V., Gosselaar, P., Leinders, S., Ottens, T., Van den Boom, M., Van Rijen, P., Aarnoutse, E., Ramsey, N. F. (2016). Fully Implanted Brain-Computer Interface in a Locked-In Patient with ALS. *New England Journal of Medicine*, 375(21), 2060–2066.
- [2] Bouton, C. E., Shaikhouni, A., Annetta, N. V., Bockbrader, M. A., Friedenber, D. A., Nielson, D. M., ... & Morgan, A. G. (2016). Restoring cortical control of functional movement in a human with quadriplegia. *Nature*, 533(7602), 247.
- [3] Vansteensel, M. J., Hermes, D., Aarnoutse, E. J., Bleichner, M. G., Schalk, G., van Rijen, P. C., ... & Ramsey, N. F. (2010). Brain-computer interfacing based on cognitive control. *Annals of neurology*, 67(6), 809-816.
- [4] M.A. van den Boom, M. Vermaas, E.J. Aarnoutse, S. Leinders, E. G. M. Pels, Z.V. Freudenburg, M.P. Branco, M.J. Vansteensel, N.F. Ramsey (2017). Utrecht neuroprosthesis: from brain signal to Independent control. *Proceedings of the 7th Graz Brain-Computer Interface Conference 2017*, DOI: 10.3217/978-3-85125-533-1-90.
- [5] Leinders, S., Pels, E.G.M., Vansteensel, M.J., Branco, M.P., Freudenburg, Z.V., van den Boom, M.A., Vermaas, M., Aarnoutse, E.J., & Ramsey, N.F. Using A One-Dimensional Control Signal For Two Different Output Commands In An Implanted BCI. *Proceedings of the 7th Graz Brain-Computer Interface Conference 2017*, 50, 270-273. DOI: 10.3217/978-3-85125-533-1-50
- [6] Wang, W., Collinger, J. L., Degenhart, A. D., Tyler-Kabara, E. C., Schwartz, A. B., Moran, D. W., ... & Kelly, J. W. (2013). An electrocorticographic brain interface in an individual with tetraplegia. *PloS one*, 8(2), e55344.
- [7] Peters, B., Bieker, G., Heckman, S. M., Huggins, J. E., Wolf, C., Zeitlin, D., & Fried-Oken, M. (2015). Brain-computer interface users speak up: the Virtual