









- the OpenViBE platform. In Proc. Int. BCI Conf., Graz, Austria, 2011, 280-283
- [16] Andreev A, Barachant A, Lotte F, Congedo M. Recreational Applications in OpenViBE: Brain Invaders and Use-the-Force. In: Clerc M, Bougrain L, Lotte F (Ed.). Brain-Computer Interfaces 2: Technology and Application. Wiley-iSTE, New York 2016, pp. 241-258
- [17] Moakher M. A differential geometric approach to the arithmetic and geometric means of operators in some symmetric spaces. *SIAM J. Matrix Anal. Appl.* 2005; 26(3):735-747
- [18] Lim Y, Pálfia M. Matrix Power means and the Karcher mean. *J. Funct. Anal.* 2012; 262:1498-1514
- [19] Pálfia M. Operator means of probability measures and generalized Karcher equations. *Adv. Math.* 2016; 289:951-1007
- [20] Lawson J, Lim Y. Weighted means and Karcher equations of positive operators, *PNAS* 2013; 110(39):15626-32
- [21] Lawson J, Lim Y. Karcher means and Karcher equations of positive definite operators. *Trans. Am. Math. Soc.* 2014; 1:1-22
- [22] Congedo M, Barachant A, Kharati Koopaei E. Fixed Point Algorithms for Estimating Power Means of Positive Definite Matrices. *IEEE Trans. Sig. Process.* 2017; 65(9):2211-2220
- [23] Rivet B, Souloumiac A, Attina V, Gibert G. xDAWN algorithm to enhance evoked potentials: application to brain-computer interface. *IEEE Trans. Biomed. Eng.* 2009; 56(8): 2035-2043
- [24] Congedo M, Korczowski L, Delorme A, Lopes da Silva F. Spatio-temporal common pattern: A companion method for ERP analysis in the time domain. *J. Neurosci. Methods.* 2016; 267: 74-88
- [25] Edgington ES. Randomization tests, 3rd ed., M. Dekker, New York, USA (1995)
- [26] Pesarin F. Multivariate Permutation Tests with applications in Biostatistics, John Wiley and Sons, New York, USA (2001)
- [27] Rodrigues PLC, Bouchard F, Congedo M, Jutten C. Dimensionality Reduction for BCI classification using Riemannian geometry. In Proc. Int. BCI Conf., Graz, Austria, Sept. 2017, 80-85
- [28] Congedo M, Rodrigues PLC, Bouchard F, Barachant A, Jutten C. A Closed-Form Unsupervised Geometry-Aware Dimensionality Reduction Method in the Riemannian Manifold of SPD Matrices. In Proc. Int. EMBS Conf., Jeju Island, South Korea, July 2017, 3198-3201
- [29] Congedo M, Afsari B, Barachant A, Moakher M. Approximate Joint Diagonalization and Geometric Mean of Symmetric Positive Definite Matrices. *PLoS One.* 2015; 10(4): e0121423