











- [13] J Ginter Jr, KJ Blinowska, M Kamiński, PJ Durka, Gert Pfurtscheller, and Christa Neuper. “Propagation of EEG activity in the beta and gamma band during movement imagery in humans”. In: *Methods of information in medicine* 44.01 (2005), pp. 106–113.
- [14] Jeremy Guillon et al. “Loss of brain inter-frequency hubs in Alzheimer’s disease”. In: *Scientific reports* 7.1 (2017), p. 10879.
- [15] Mahyar Hamed, Sh-Hussain Salleh, and Alias Mohd Noor. “Electroencephalographic motor imagery brain connectivity analysis for BCI: a review”. In: *Neural computation* 28.6 (2016), pp. 999–1041.
- [16] Nuri F Ince, Ahmed H Tewfik, and Sami Arica. “Extraction subject-specific motor imagery time-frequency patterns for single trial EEG classification”. In: *Computers in biology and medicine* 37.4 (2007), pp. 499–508.
- [17] Jing Jin et al. “The changing face of P300 BCIs: a comparison of stimulus changes in a P300 BCI involving faces, emotion, and movement”. In: *PloS one* 7.11 (2012), e49688.
- [18] Fabien Lotte, Marco Congedo, Anatole Lécuyer, Fabrice Lamarche, and Bruno Arnaldi. “A review of classification algorithms for EEG-based brain-computer interfaces”. In: *Journal of neural engineering* 4.2 (2007), R1.
- [19] Robert Oostenveld, Pascal Fries, Eric Maris, and Jan-Mathijs Schoffelen. “FieldTrip: open source software for advanced analysis of MEG, EEG, and invasive electrophysiological data”. In: *Computational intelligence and neuroscience* 2011 (2011), p. 1.
- [20] G Pfurtscheller. “Spatiotemporal ERD/ERS patterns during voluntary movement and motor imagery”. In: *Supplements to Clinical neurophysiology*. Vol. 53. Elsevier, 2000, pp. 196–198.
- [21] Gert Pfurtscheller and A Aranibar. “Event-related cortical desynchronization detected by power measurements of scalp EEG”. In: *Clinical Neurophysiology* 42.6 (1977), pp. 817–826.
- [22] Dheeraj Rathee, Hubert Cecotti, and Girijesh Prasad. “Single-trial effective brain connectivity patterns enhance discriminability of mental imagery tasks”. In: *Journal of neural engineering* 14.5 (2017), p. 056005.
- [23] Dymitr Ruta and Bogdan Gabrys. “An overview of classifier fusion methods”. In: *Computing and Information systems* 7.1 (2000), pp. 1–10.
- [24] Carmen Vidaurre and Benjamin Blankertz. “Towards a cure for BCI illiteracy”. In: *Brain topography* 23.2 (2010), pp. 194–198.
- [25] Peter Welch. “The use of fast Fourier transform for the estimation of power spectra: a method based on time averaging over short, modified periodograms”. In: *IEEE Transactions on audio and electroacoustics* 15.2 (1967), pp. 70–73.
- [26] Jonathan R Wolpaw, Niels Birbaumer, Dennis J McFarland, Gert Pfurtscheller, and Theresa M Vaughan. “Brain-computer interfaces for communication and control”. In: *Clinical neurophysiology* 113.6 (2002), pp. 767–791.
- [27] Jonathan R Wolpaw, Dennis J McFarland, Theresa M Vaughan, and Gerwin Schalk. “The Wadsworth Center brain-computer interface (BCI) research and development program”. In: *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 11.2 (2003), pp. 1–4.