











- on Sensorimotor Rhythms. *Proceedings of the IEEE*. 2015;103(6):907–925.
- [9] Jankelowitz S., Colebatch J. Movement-related potentials associated with self-paced, cued and imagined arm movements. *Experimental Brain Research*. 2002;147(1):98–107.
- [10] Jochumsen Mads, Niazi Imran Khan, Mrachacz-Kersting Natalie, Farina Dario, Dremstrup Kim. Detection and classification of movement-related cortical potentials associated with task force and speed. *Journal of Neural Engineering*. 2013;10(5):056015.
- [11] Jochumsen Mads, Niazi Imran Khan, Nedergaard Rasmus Wiberg, Navid Muhammad Samran, Dremstrup Kim. Effect of subject training on a movement-related cortical potential-based brain-computer interface. *Biomedical Signal Processing and Control*. 2018;41:63–68.
- [12] Kornhuber Hans Helmut, Deecke Lüder. Hirnpotentialänderungen beim Menschen vor und nach Willkurbewegungen dargestellt mit Magnetbandspeicherung und Rückwärtsanalyse. In: *Pflugers Archiv-European Journal of Physiology*. Vol. 281. 1. SPRINGER VERLAG 175 FIFTH AVE, NEW YORK, NY 10010. 1964, 52.
- [13] Lew Eileen Y. L., Chavarriaga Ricardo, Silvoni Stefano, R. Millán José del. Single trial prediction of self-paced reaching directions from EEG signals. *Frontiers in Neuroscience*. 2014;8.
- [14] Martínez-Expósito A., Ibáñez J., Resquín F., Pons J. L. Task Influence on Motor-Related Cortical Signals: Comparison Between Upper and Lower Limb Coordinated and Analytic Movements. In: *Converging Clinical and Engineering Research on Neurorehabilitation II*, 2017, vol. 15, 1139–1143.
- [15] Millán J. D. R. et al. Combining Brain-Computer Interfaces and Assistive Technologies: State-of-the-Art and Challenges. *Frontiers in neuroscience*. 2010;4.
- [16] Müller-Putz Gernot R., Scherer Reinhold, Pfurtscheller Gert, Rupp Rüdiger. EEG-based neuroprosthesis control: a step towards clinical practice. *Neuroscience letters*. 2005;382:169–174.
- [17] Müller-Putz Gernot, Scherer Reinhold, Brunner Clemens, Leeb Robert, Pfurtscheller Gert. Better than random: a closer look on BCI results. *International Journal of Bioelectromagnetism*. 2008;10(1):52–55.
- [18] Niazi Imran Khan, Jiang Ning, Tiberghien Olivier, Nielsen Jørgen Feldbæk, Dremstrup Kim, Farina Dario. Detection of movement intention from single-trial movement-related cortical potentials. *Journal of Neural Engineering*. 2011;8(6):066009.
- [19] Ofner Patrick, Schwarz Andreas, Pereira Joana, Müller-Putz Gernot R. Upper limb movements can be decoded from the time-domain of low-frequency EEG. *PLOS ONE*. 2017;12(8):e0182578.
- [20] Pfurtscheller G., Guger C., Müller G., Krausz G., Neuper C. Brain oscillations control hand orthosis in a tetraplegic. *Neuroscience letters*. 2000;292:211–214.
- [21] Pfurtscheller G., Lopes da Silva F. H. Event-related EEG/MEG synchronization and desynchronization: basic principles. *Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology*. 1999;110:1842–1857.
- [22] Pfurtscheller Gert, Müller Gernot R., Pfurtscheller Jörg, Gerner Hans Jürgen, Rupp Rüdiger. 'Thought'–control of functional electrical stimulation to restore hand grasp in a patient with tetraplegia. *Neuroscience letters*. 2003;351:33–36.
- [23] Prescott J. The effects of response parameters on CNV amplitude. *Biological psychology*. 1986;22:107–135.
- [24] Rohm Martin et al. Hybrid brain–computer interfaces and hybrid neuroprostheses for restoration of upper limb functions in individuals with high-level spinal cord injury. *Artificial Intelligence in Medicine*. 2013;59(2):133–142.
- [25] Rohrbaugh J. W., Syndulko K., Lindsley D. B. Brain wave components of the contingent negative variation in humans. *Science (New York, N.Y.)* 1976;191:1055–1057.
- [26] Rupp R., Rohm M., Schneiders M., Kreilinger A., Müller-Putz G. R. Functional Rehabilitation of the Paralyzed Upper Extremity After Spinal Cord Injury by Noninvasive Hybrid Neuroprostheses. *Proceedings of the IEEE*. 2015;103(6):954–968.
- [27] Schwarz Andreas, Ofner Patrick, Pereira Joana, Sburlea Andreea Ioana, Müller-Putz Gernot R. Decoding natural reach-and-grasp actions from human EEG. *Journal of Neural Engineering*. 2017;15(1):016005.
- [28] Shibasaki Hiroshi, Hallett Mark. What is the Bereitschaftspotential? *Clinical Neurophysiology*. 2006;117(11):2341–2356.
- [29] Úbeda Andrés, Azorín José M., Chavarriaga Ricardo, R. Millán José del. Classification of upper limb center-out reaching tasks by means of EEG-based continuous decoding techniques. *Journal of NeuroEngineering and Rehabilitation*. 2017;14(1).
- [30] Walter W. G., Cooper R., Aldridge V. J., Mccallum W. C., Winter A. L. Contingent Negative Variation: An Electric Sign of Sensorimotor Association and Expectancy in the Human Brain. *Nature*. 1964;203:380–384.