









- [6] Cinel Caterina, Valeriani Davide, Poli Riccardo. Neurotechnologies for Human Cognitive Augmentation: Current State of the Art and Future Prospects. *Frontiers in Human Neuroscience*. 2019;13(13).
- [7] Wang Yijun, Jung Tzyy-Ping. A collaborative brain-computer interface for improving human performance. *PloS one*. 2011;6(5):e20422.
- [8] Yuan Peng et al. A collaborative brain-computer interface for accelerating human decision making. In: *International Conference on Universal Access in Human-Computer Interaction*. Springer. 2013, 672–681.
- [9] Yuan Peng et al. Study on an online collaborative BCI to accelerate response to visual targets. In: *Proceedings of 34nd IEEE EMBS Conference*. 2012.
- [10] Eckstein Miguel P et al. Neural decoding of collective wisdom with multi-brain computing. *NeuroImage*. 2012;59(1):94–108.
- [11] Cecotti Hubert, Rivet Bertrand. Subject combination and electrode selection in cooperative brain-computer interface based on event related potentials. *Brain sciences*. 2014;4(2):335–355.
- [12] Valeriani Davide, Poli Riccardo, Cinel Caterina. Enhancement of group perception via a collaborative brain-computer interface. *IEEE Transactions on Biomedical Engineering*. 2017;64(6):1238–1248.
- [13] Sellers E. W., Kubler A., Donchin E. Brain-computer interface research at the University of South Florida Cognitive Psychophysiology Laboratory: the P300 Speller. *IEEE Trans Neural Syst Rehabil Eng*. 2006;14(2):221–224.
- [14] Fan Rong-En et al. LIBLINEAR: A library for large linear classification. *Journal of machine learning research*. 2008;9(Aug):1871–1874.
- [15] Krusienski Dean J et al. A comparison of classification techniques for the P300 Speller. *Journal of neural engineering*. 2006;3(4):299.
- [16] Bianchi Luigi, Liti Chiara, Piccialli Veronica. A new early stopping method for P300 spellers. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*. 2019;under revision.